



Digital Full Colour Multifunctional System





simply better **business**

Next-Generation Colour MFDs for Simply Better Business

Sharp's next-generation full-colour MX-4070N/3570N/3070N MFDs are packed with state-of-the-art technologies that add new value to your workflow. Thanks to the user-friendly design of these MFDs—including a new Easy UI mode—a wide variety of users can access their advanced functions easily and intuitively. Adding one of these high performers to your talent pool is a great way to make your business grow.





Easy Copy mode



Easy Scan mode

Simply Better **Process**


Business owners / directors

Transform the way you use information in your business by connecting one of these new MFDs to a variety of mobile devices and cloud services. Now you don't have to be confined to the office—you and your team can work anytime, anywhere. The amazing flexibility of these Sharp MFDs can help you grab new business opportunities and boost your bottom line.

Link to Public Cloud and Mobile Printing Services*

These MFDs enable single sign-on for easy access to public cloud services such as Google Drive[™], OneDrive[®] for Business, and SharePoint[®] Online. They also support various mobile printing services such as the Android[™] printing framework, Google Cloud Print[™], AirPrint, and Mopria[™].

* For details, see pages 5 and 6.



Convert Documents via OCR

OCR capability on the MX-4070N/3570N/3070N lets you convert a scanned document into a searchable PDF file or into an editable Microsoft[®] Word, PowerPoint[®], or Excel[®] file. This means you can do speedy text searches, even with large-volume documents, and you can easily copy and paste text data into other applications. Functions like these help you maximise work efficiency.



Simply Better **Experience**

Sharp's proprietary technologies give each of these MFDs quick warm-up and first copy times. A motion sensor—a first for a Sharp MFD—lets you use the machine without feeling like you have to wait. Thanks to their intuitive operation and superb usability, the MX-4070N/3570N/3070N simplify even the most complex work processes and help you finish document jobs fast.



Easy User Interface

The intuitive Easy UI mode makes it easy for anyone to use the MFD's advanced functions. In this mode, simple function icons are displayed on the 10.1-inch colour LCD touchscreen. Each user can customise the home screen by drag-and-dropping icons for commonly used functions, making for smoother, more efficient operation.



Motion Sensor

Office users

A built-in motion sensor detects your approach to the MFD and wakes it from Sleep mode. The control panel lights up and the machine finishes warming up as you enter your desired copy or scan settings. Then, with a minimum of waiting, you simply push the Start button to get the job underway.

Note: Detection range can be set to three different ranges.




Simply Better Admin

IT managers / administrators

These MFDs fit securely and seamlessly into your office system. An advanced security environment and new, easily viewable administration tools reduce the workload for system administrators and give full support to their management duties.

Secure Access Control

The MX-4070N/3570N/3070N support the **Active Directory**[®] service, which lets you use the machine's log-on credentials for internal network folders. System administrators can easily keep track of user credentials, which makes for an efficient and highly secure operational environment. And with **single sign-on**, you can access internal network folders by simply logging into the MFD—there's no need to re-enter your IDs and passwords.



Integrated Device Management

As a system administrator, you can get the most out of a Sharp document system by using Sharp's efficiency-boosting device management tools. From a single location, you can use Sharp Remote Device Manager* (SRDM) to manage multiple Sharp MFDs. This includes everything from system setup, user access, and security settings to troubleshooting and maintenance. It's quick. It's effective. And it takes the hassle out of MFD management.

Sharp Remote D	evice Manager						
		hahe				0	Bags + Help + La
in de Trap Group		the Second County	terreture Davis Davis	a Contrato		120	
d Tap Group -		alış SaGnaplık Goarm	torrutor Device Dam	er) Courter Huter	Operation		Albertan
d Tap Group -			Romantian Device Disco-	PADess	Operation 1		Al Dentes Dente Operation
d Tap Group -	al a Q Q A B					7 the	
d Tap Group -	al a Q Q A B	Device Datus *	Motel Name	P Address		Film Detai Number	Device Operation
diter Group +	Company of the local sector of the local secto	Device Bake *	Model Name SHARP NR 3140N	P Albert		File Intel Norther Desire Heat	Course Operation

Sharp Remote Device Manager

* Contact a Sharp customer representative for availability and other details.

EASE OF USE

The smartly designed MX-4070N/3570N/3070N set the standard for usability. Ergonomic and intuitive features ensure everyone can enjoy stress-free operation of the MFD.

10.1-Inch Colour LCD Touchscreen

A user-friendly touchscreen interface incorporating a new Easy UI mode makes it easy and intuitive to operate the MFD. The Advanced Preview function, meanwhile, lets you check document finishes and page layout in advance, edit pages easily, and preview documents in various modes.



Easy Printing/Scanning with USB Drives

Insert a USB drive into the MFD and a print/scan command screen will automatically pop up on the LCD. Right away you can print files from the USB drive—which are displayed as thumbnails—or you can scan documents directly to the USB drive.



New Printer Driver with Easy Setup

The printer driver setup window features an improved design that includes larger buttons and drop-down menus, making it easier than ever to use printer functions.



LED Status Lamps

Next to the control panel are two LED lamps: one red, one green. These light up to notify you—even from a distance—of the status of the machine.



Universal Design

Free-Tilting Control Panel

The control panel can be tilted freely at various angles for easy viewing and easy operation, even from a wheelchair. Having the control panel at the perfect viewing angle means you can reduce eye strain and avoid making input errors.



Utility Table

An optional Utility Table gives you a handy place to lay documents or a mobile device such as a tablet when you're working at the MFP. An IC card reader* can be installed underneath the table. * Commercially available



Lock-on Handles

The paper drawers on this MFD feature easy-grip, lock-on handles. As well as enabling easy opening and closing, they ensure that the paper drawers close properly.



Remote Operation*


The Remote Operation function lets you display the MFD's main control panel on the screen of your PC or mobile device. From a remote location, you can then check MFD settings or reprint data stored on the MFD. This function also enables the administrator to guide an MFD user through necessary procedures and allows remote MFD operation.

When it comes to image quality, the MX-4070N/3570N/3070N deliver a reliably excellent performance. Thanks to their outstanding precision and colour quality, these MFDs lend your documents a beautifully professional look.

Easy, High-Quality Copying and Scanning

Through an advanced three-step process, **Auto Colour Mode** provides fully automated copying and scanning in both colour and B/W—with a simple press of the Start button. Here's how it works: **Auto Colour Selection** automatically determines whether a page is colour or B/W. **Auto Original Type Selection** then analyses page contents to distinguish between different components (such as photos and text) and selects the appropriate mode. Finally, **Background Suppression** automatically removes unnecessary background colour.

Auto Colour Mode



Developer Refresh System

By discharging old developer little by little and continuously replacing it with new developer, this system prevents developer deterioration and ensures stable print quality over the long term.



PCL 6 and True Adobe[®] PostScript[®] 3[™]

For improved graphics handling and enhanced font compatibility, these MFDs come standard with both PCL 6 and true Adobe PostScript 3. In addition, the PostScript driver allows you to use the dot screening technique so that you can emulate the high-quality printing of commercial offset printers.


High-Resolution Output

Each MFD's print engine supports $1,200 \times 1,200$ dpi printing and copying^{*}. Digital smoothing technology enhances the print and copy resolution to the equivalent of $9,600 \times 600$ dpi, giving you ultra-clear image quality. Fine lines and small text come out looking crisper and easier to read.

* Copying in B/W only.


Improved Colour Reproduction

By thoroughly revamping the imaging process, Sharp was able to expand the colour gamut for these MFDs. As a result, colour reproduction is more faithful and vivid compared to previous models.




Auto Process Control

To maintain consistently high image quality during large-volume print jobs, these MFDs employ an enhanced periodic colour calibration system. Image density sensors read high-density and halftone colour patches and feed the information back to the image control unit. The MFD can then make adjustments to minimise colour variance between pages.



Line Width Adjustment

This function adjusts the width of lines. Fine lines, which are otherwise difficult to render properly, turn out sharp and crisp. Intricate line drawings, complex graphs and charts, and detailed spreadsheets are reproduced with exceptional quality and precision.



SECURE INFORMATION SHARING

Whether you're in the office or out and about, being able to share information easily and securely is vital to the smooth running of your business. Secure information sharing with a Sharp MFD transforms your working style and helps you grab new opportunities before they pass.

Link to Cloud Services*

An MX-4070N/3570N/3070N doesn't just connect to your local server. It also connects with cloud services directly from the MFD's control panel. You can upload scanned data to Google Drive, OneDrive for Business, or SharePoint Online—or print directly from any of them. Using a cloud service like this can save you the time and cost of setting up and managing a server within your company. Once you log into the MFD, you can quickly access multiple software services without having to sign in to each one separately. It's a true time-saver that gets your document jobs finished faster.

* Requires optional MX-AMX2.

Link with Mail Servers

Scanned data can be conveniently sent via your regular Gmail[™] or Microsoft Exchange account. Sending e-mail is as easy as choosing a recipient from your address book on the mail server. Scanned data that you send can be stored on the mail server with other sent items.

Sharp OSA* (Open Systems Architecture)

Innovative Sharp OSA technology allows you to interact with critical business and network applications right from the LCD control panel, offering a new realm of control and convenience. And since Sharp OSA utilises industry-standard network protocols, the MX-4070N/3570N/3070N can easily integrate with document management systems, enterprise resource planning software, workflow applications, and more. The latest version of Sharp OSA can reach beyond the firewall, enabling extensive system construction as well as services delivered over the Internet such as cloud services.

In this way, Sharp OSA provides a foundation for cost reductions and information sharing across the entire company organisation—effectively enhancing total business efficiency.


* Requires optional MX-AMX2 and/or MX-AMX3.


Multi-Layered Security

Sharp's powerful data security solutions protect your business assets and give you peace of mind. These MFDs safeguard your sensitive data by employing multiple levels of security functions covering a broad range of network and data security needs.

Network Security and Access Control

- S/MIME provides secure e-mail communications* * When sending e-mail only.
- SSL (secure sockets layer) and IPsec data encryption technologies ensure secure network communications
- User Authentication covering up to 1,000 users prevents unauthorised MFD use by requiring access passwords
- Active Directory enables integrated management of user credentials, thereby providing a highly secure and efficient environment for system administrators





Two-Way Sharing with Mobile Devices


Connecting an MX-4070N/3570N/3070N to one or more mobile devices is easy, and it expands your options for sharing data. Not only can you send scanned documents to mobile devices such as smartphones and tablets, you can also print documents or photos sent from those devices.

Sharpdesk Mobile

Sharpdesk Mobile is a mobile print/scan application that connects the MFD to mobile devices via wireless LAN.

Mobile Printing Services

These MFDs support Google Cloud Print, AirPrint, Mopria, and Sharp Print Service Plugin.



Wireless Connections

These MFDs offer ultra-handy wireless access via two easy modes, enabling convenient access to the MFD even from places where a wired LAN is not available.

Infrastructure mode wirelessly connects the MFD to mobile PCs/devices via a commercially available wireless LAN router.



Access point mode wirelessly connects a LAN-wired MFD to mobile PCs/devices without going through a wireless LAN router.



Note: External networks cannot be accessed via the MFD. Up to five mobile devices can be wirelessly connected to the MFD at the same time.

Document Protection

 Document Control prevents unauthorised use of confidential documents by embedding copy prevention data in them

Note: Requires optional Data Security Kit. May not work with certain types of paper, documents (such as those with a large volume of photos), or MFD settings.

- Hidden Pattern Copy/Print embeds a watermark, such as "Confidential" or "Not for Copy," onto a document
- Tracking Information Print prints the MFD user's name, the date, job ID, and other specifics on printouts, making it possible to track documents

Data Protection

- Job data is automatically encrypted before being saved to the MFD's internal storage. Once a
 job is finished, its encrypted data is erased by up to 10 automatic overwrites
 Note: Contact a Sharp customer representative for details on activating this function.
- Retained data can be **initialised** when it's time to replace the MFD, preventing the leakage of confidential information

Prevents eavesdropping, tampering SSL and IPsec Encrypted PDF

Services

SharePoint® Online





Stops information leaks Hidden Pattern Copy/Print Tracking Information Print Whether a document job is big or small, you want to get it done quickly and efficiently. The superb performance of these MFDs promises you a smooth workflow and high productivity.

COPY/PRINT

Super-Efficient Colour and B/W Output

The MX-4070N/3570N/3070N deliver a fast output of 40/35/30 ppm* in B/W and in full colour. The first copy comes out in just 4.7 seconds in B/W and 6.7 seconds in full colour, saving you

valuable time when performing

multiple short-run jobs. * A4, long-edge feeding



Print Release

The Print Release function lets you send documents to the main MFD, which acts as a server and stores them for printing out from any other MFD on the network. This function comes in handy when the main MFD is in use or under maintenance, letting you finish your job with minimal waiting.

Versatile Paper Handling

Most of the MX-4070N/3570N/3070N's paper trays accommodate a wide variety of paper, in sizes up to SRA3 and in weights up to 300 g/m². These MFDs can also handle extra-long paper up to 1,300 mm*. In addition to plain paper, the MFDs accommodate a number of other paper types, including coated, textured, embossed, and removable adhesive paper. Such versatile paper handling expands the range of possible printing applications.

* Sharp recommends using the optional MX-LT10 for this function. Please contact a Sharp customer representative for details.

Microsoft[®] Office Direct Printing

Print common Microsoft® Office files without using a PC. With a MX-4070N/3570N/3070N, you can print a Word, Excel®, or PowerPoint® file directly from a mobile device, cloud service, USB drive, or file server.

Note: This function is enabled via DirectOffice™ technology.



Job Separator Tray

The helpful Job Separator Tray option prevents copy/print/fax jobs from getting mixed together in the main tray by letting you send one of the job types to the Job Separator Tray.




Job Separator Tray (100 sheets*)

Main tray (250 sheets*)

* A4. 80 a/m²

Finisher Options

The MFD offers finishing options to suit a variety of workplaces and applications.



Stapleless Stapler

To make paper recycling easy and to save on stapler costs, a staple-free stapler crimps the corners of paper to keep up to five sheets securely bound.



Manual Stapler

You can quickly staple documents at the MFD as needed without using a conventional stapler. A real time-saver if you want to, say, restaple documents that were unstapled for copying.



IMAGE SEND


High-Efficiency Scanning

Each MX-4070N/3570N/3070N comes equipped with a highly efficient 150-sheet DSPF (duplex single pass feeder). This scans both pages of two-sided documents in one pass. With a scanning speed of up to 100 opm* (one-sided) or 200 opm* (two-sided), these MFDs can finish even large projects quickly.



Multiple Distribution of Scanned Files

Scanned documents can be distributed in a number of ways. For example, they can be sent as e-mail attachments or they can be scanned directly to an FTP server for storage. The standardequipped compact PDF function lets you smoothly transmit and receive data.



Improved Address Book

The address book has an improved layout that includes new

Frequent Use buttons, a separate Address list, and larger buttons, scroll bar, and text. This user-friendly design makes selecting the right scan/fax destinations more effortless than ever.

	۹.	×		CA
Cooper, Thomas				- CA
12 Brown, Sophie	-	13		
II Brown, Robert		01		
U Brown, Irene		21		
II Brown, Emma				
III Anderson, Bill				
- E	140		+ 3/W	

Document Management

Document Filing

Document Filing allows processed data to be saved in designated folders on the MFD's hard disk. From there, it can be instantly recalled for printing and sending at a later time.




Enhanced Scan Functions

Automated Scanning*

Using advanced optical character recognition, these MFDs can correct the vertical orientation of pages mixed in upside down. This conveniently saves you the hassle of having to rescan those pages. The MFDs can also automatically determine scan resolution and skip blank pages in a multi-page document.

Multicrop Function

The Multicrop function automatically creates separate files for multiple different-sized documents—such as receipts and bills—that are scanned simultaneously.



Business Card Management


It's easy to manage a database of business cards with the MX-4070N/3570N/3070N. The MFD reads contact details on each card via OCR and then exports those details to a third-party contact management system of your choice.

Versatile Fax Functions (option)

- Super G3 Fax function
- Internet Fax lets you economically send and receive faxes to and from other T-37-compliant Internet fax machines
- **PC-Fax** lets you send documents created on a PC directly to a recipient's fax machine via a phone line without printing to paper

Sharpdesk

With Sharpdesk integrated document management software, scanned files can be organised, edited, converted, and combined with ease. What's more, Full Text Search makes it easy to retrieve your documents.




* Image Compression Tool for converting images into compact PDF files

ENVIRONMENT-FRIENDLY

With a view to minimising the environmental impact of its products, Sharp has applied its advanced technologies across all areas of these MFDs, including the hardware, firmware, electrical systems, and supplies.

Low TEC Value*1

In every respect, these MFDs have been designed to deliver exceptional energy efficiency. As a result, they boast a TEC value that is significantly lower than the maximum allowable values determined by ENERGY STAR[®].



*1: Typical amount of energy consumed in a hypothetical week measured as stipulated under the ENERGY STAR programme.

*2: Maximum TEC value allowable under the latest ENERGY STAR programme (version 2.0).

*3: Measured at 230 V.

Quick-Heating Belt Fusing System

A newly developed quick-heating belt fusing system enables a short warm-up time of 10 seconds to reduce overall energy consumption.



Eco Recommendation

This function suggests environmentally friendly settings before a print*/copy command is executed from the control panel. * For printing Document Filing data and direct printing (FTP/SMB/USB)



Eco Scan


The Eco Scan function saves energy by keeping the fusing system shut down during jobs that don't require its use—for example, during image sending and Document Filing.

Auto Power Shut-Off Mode

Based on prior usage patterns, the MFD automatically determines how long to wait before going into auto power shut-off mode. Shortly before this mode begins, a message appears on the LCD indicating that the MFD will soon shut down and giving you the option to continue operation.

Power ON/OFF Schedule

This function automatically turns the MFD on or off per administrator-set schedules.




Eco-Friendly Toner

New Mycrostoner-Crystal is filled with low-melting-point material. Compared to a conventional toner, this toner is able to fuse at lower temperatures, resulting in reduced energy consumption.

Automatic Toner Cartridge Eject Function

This function expels completely empty cartridges in preparation for replacement. The cartridge is replaced only after all the toner has been consumed, thereby ensuring efficient use of toner. Because you can tell at a glance when cartridges are empty, they are fast and easy to replace.



SYSTEM CONFIGURATION

System Configuration

/X-FN29*1*3	MX-FN27			MX-UT10 Utility Table	MX-PN14B/C/D Punch Module (for MX-FN27)
Saddle Stitch	Finisher			MX-TR19	MX-PN15B/C/D Punch Module (for MX-FN28/FN29)
7	MX-BB25			Exit Tray Unit	MX-PN16B/C/D Punch Module (for MX-FN30/FN31)
	Paper Pass Unit	10	-	MX-LT10 Long Paper Feeding Tray	MX-PF10 Barcode Font Kit
		BASE UNIT			MX-FX15 Fax Expansion Kit
	MX-TU16 Exit Tray Cabinet		E	MX-LC17*3 Large Capacity Tray (A4)	MX-FWX1 Internet Fax Expansion Kit
AX-FN31*2*3					AR-SU1 Stamp Unit
addle Stitch inisher	MX-TR20 Job Separator Tray				MX-USX1/X5 Sharpdesk 1/5-License Kit
1	Anners Mar	AN CON MIL	In COM NO.		MX-US10/50/A0 Sharpdesk 10/50/100-License Kit
	== :	3	-		MX-AMX1 Application Integration Module
	MX-DE26 Stand with	MX-DE27 Stand with	MX-DE28 Stand with		MX-AMX2 Application Communication Module
	2 x 550-Sheet Paper Drawer	3 x 550-Sheet Paper Drawer	550 + 2,100-Sheet Paper Drawer		MX-AMX3 External Account Module
1. May appendix and the 1.000 a	heets *2: Max. paper capacity: 3,000	abaata *2: Daguiraa			MX-FR52U Data Security Kit

Specifications for Options

MX-TR20 Job	Separator	Tray
-------------	-----------	------

Paper size	SRA3 to A5
Paper capacity	100 sheets (A4)

MX-FN27 Finisher

Paper size	Non offset	SRA3 to A5
	Offset/staple	A3 to B5*1
	Stapleless staple	A3 to B5*2
Paper capacity	Non offset/offset	500 sheets (A4 or smaller), 250 sheets (B4 or larger)
	Staple	30 sets or 500 sheets (A4 or smaller),
		30 sets or 250 sheets (B4 or larger)
	Stapleless staple	30 sets
Stapling capacity	Staple	50 sheets (A4, B5*4), 30 sheets (A3, B4)
	Stapleless staple	5 sheets*3
	Manual staple	Total paper thickness 4 mm or less (40 sheets)
Staple position	Staple mode	3 locations (front, rear, or 2-point stapling)
	Stapleless staple mode	1 location (rear)
	Manual staple mode	1 location

MX-FN29 Saddle Stitch Finisher

Paper size	Non offset	SRA3 to A5
	Offset	A3W to A5
	Staple	A3W to B5
Paper capacity	Finisher tray (non offset/offset)	1,000 sheets (A4), 500 sheets (other sizes)
	(staple)	100 sets or 1,000 sheets (A4),
		50 sets or 500 sheets (other sizes)
	Top tray	250 sheets (A4 or smaller), 50 sheets (B4 or larger)
	Saddle stitch tray	7 sets of 11–15 sheets, 10 sets of 6–10 sheets,
		20 sets of 1-5 sheets
Stapling capacity		50 sheets (A4, B5), 30 sheets (A3, B4)
Staple position		3 locations (front, rear or 2-point stapling)

MX-LC17 Large Capacity Tray

Paper size Paper capacity	A4, B5 3,000 sheets				
MX-LT10 Long Paper Feeding Tray					
Paper size	Max. 1,300 mm long				
Paper capacity	1 sheet				

Note: All specifications relating to paper capacity refer to 80 g/m² paper.

*1: Only long-edge feeding can be used with A4 and B5 paper. *2: Long-edge feeding. *3: Guaranteed stapleable weight is up to 64 g/m² (4 sheets up to 81.4 g/m² and 3 sheets up to 105 g/m²). *4: Guaranteed punchable weight is 60 to 128 g/m². *5: Only short-edge feeding can be used with A5 paper. 6: Accepts North American paper sizes. 7: Accepts ISO-standard paper sizes.

MX-FN31 Saddle Stitch Finisher

Paper size	Non offset	SRA3 to A5
	Offset/staple	A3 to B5*1
	Stapleless staple	A3, A4* ²
Paper capacity	Finisher tray (non offset/offset)	3,000 sheets (A4, B5), 1,500 sheets (other sizes)
	(staple)	200 sets or 3,000 sheets (A4, B5),
		100 sets or 1,500 sheets (other sizes)
	(stapleless staple)	200 sets (A4), 100 sets (A3)
	Top tray	250 sheets (A4*3, B5*3, A5), 125 sheets (other sizes
	Saddle stitch tray	10 sets of 11-20 sheets, 15 sets of 6-10 sheets,
		25 sets of 1–5 sheets
Stapling capacity	Staple	65 sheets (A4*2, B5*2), 30 sheets (other sizes)
	Stapleless staple	5 sheets*3
	Manual staple	Total paper thickness 9 mm or less (65 sheets)
Staple position	Staple mode	3 locations (front, rear, or 2-point stapling)
	Stapleless staple mode	1 location (rear)
	Manual staple mode	1 location

Punch Modules

Model name	For MX-FN27	MX-PN14B*6	MX-PN14C*7	MX-PN14D
	For MX-FN29	MX-PN15B*6	MX-PN15C*7	MX-PN15D
	For MX-FN31	MX-PN16B*6	MX-PN16C*7	MX-PN16D
Number of holes		3	2 or 4	4 (wide)
Paper weight			55 to 300 g/m ² *4	

MX-DE26 St	and with 2 x 550-She	et Paper Drawer
Paper size	Upper and lower tray	SRA3 to A5*5
Paper capacity	Upper and lower tray	550 sheets each
MX-DE27 St	and with 3 x 550-She	et Paper Drawer
Paper size	Upper/middle/lower tray	SRA3 to A5*5
Paper capacity	Upper/middle/lower tray	550 sheets each
MX-DE28 St Paper size	and with 550 + 2,100 Upper tray	-Sheet Paper Drawer
rapei size	Lower right tray	A4. B5
	Lower left tray	A4
Paper capacity	Upper tray	550 sheets
	Lower right trav	900 sheets
	Lowerngintudy	000 010010

SPECIFICATIONS

General

Type Engine speed	Desktop A4*1: Max. 40/35/30 ppm A3: Max. 20/18/16 ppm SRA3: Max. 18/16/15 ppm	
Control panel display	10.1-inch colour LCD touchscreen	
Paper size	Max. SRA3, min. A5	
Paper capacity	Standard: 650 sheets	
(80 g/m²)	(550-sheet tray and 100-sheet mu	Ilti-bypass tray)
	Maximum: 6,300 sheets	
	(650 sheets & optional 550 + 2,100-s	heet tray and 3,000-sheet tray)
Paper weight	Tray: 60 g/m ² to 300 g/m ²	
	Multi-bypass tray: 55 g/m ² to 300	g/m ²
Warm-up time*2	10 sec.	
Memory	5GB (copy/print shared)	500GB HDD*3
Power requirements	230-240V AC, 50/60 Hz	
Power consumption	Max. 1.84 kW, max.	
Dimensions (W x D x H)*4	616 x 660 x 838 mm	
Weight (approx.)	87 kg	

Copier

Original paper size	Max. A3	
First copy time*5	Full colour: 6.7 sec.	B/W: 4.7 sec.
Continuous copy	Max. 9,999 copies	
Resolution	Scan (colour): 600 x 600 dpi	
	Scan (B/W): 600 x 600 dpi, 600 x	400 dpi, 600 x 300 dpi
	Print (colour): 600 x 600 dpi, 9,60	00 (equivalent) x 600 dpi
	(depending on copy mode)	
	Print (B/W): 1,200 x 1,200 dpi, 60)0 x 600 dpi,
	9,600 (equivalent) x 600 dpi (dep	ending on copy mode)
Gradation	Equivalent to 256 levels	
Zoom range	25 to 400% (25 to 200% using D	SPF) in 1% increments
Preset copy ratios	10 ratios (5R/5E)	

Network Scanner

Scan method	Push scan (via control panel)
	Pull scan (TWAIN-compliant application)
Scan speed*6	One-sided: Max. 100 originals/min.
(colour & B/W)	Two-sided: Max. 200 originals/min.
Resolution	Push scan: 100, 150, 200, 300, 400, 600 dpi
	Pull scan: 75, 100, 150, 200, 300, 400, 600 dpi
	50 to 9,600 dpi via user setting*7
File formats	TIFF, PDF, PDF/A, encrypted PDF, compact PDF*8, JPEG*8, XPS,
	searchable PDF, Microsoft® Office (pptx, xlsx, docx), text (TXT),
	rich text (RTF)
Scanner utility	Sharpdesk
Scan destinations	Scan to e-mail/desktop/FTP server/network folder (SMB)/
	USB drive/HDD

*1.

Long-edge feeding. At rated voltage, 23°C. May vary depending on operating conditions and environment. *2:

*3:

HDD capacity depends on procurement and sourcing status. Including adjusters and protuberances. *4:

Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFD in fully ready condition. May vary depending on operating conditions and *5: environment

*6: Based on Sharp's A4 standard chart, using document feeder, long-edge feeding, and one-sided scanning. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.

*7. Resolution will vary depending on the size of the scanned area.

SHARP

Colour/greyscale only. *8:

- *9: Storage capacity will vary depending on the type of document and the scan settings.
 *10: Some features require option(s).
- *11: Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Document Filing

Document filing		
capacity*9		
Stored jobs*10		
Storage folders		

Main and custom folders: 20,000 pages or 3,000 files Quick file folder: 10,000 pages or 1,000 files Copy, print, scan, fax Quick file folder, main folder, custom folder (max. 1,000 folders)

Network Printer

Resolution Interface Supported OS	1,200 x 1,200 dpi, 600 x 600 dpi, 9,600 (equivalent) x 600 dpi USB 2.0 (host, high-speed), 10Base-T/100Base-TX/1000Base-T Windows Server® 2008, Windows Server® 2008 R2, Windows Server® 2012, Windows Server® 2012 R2, Windows Server® 2016, Windows Vista®, Windows® 7, Windows® 8.1, Windows® 10 Mac 0S X 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 10.10, 10.11
Notwark protocolo	Mac OS X 10.12, TCP/IP
Network protocols	169/19
Printing protocols	LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP,
	FTP for downloading print files, IPP, SMB, WSD
PDL	PCL 6 emulation, Adobe [®] PostScript [®] 3 [™]
Available fonts	80 fonts for PCL, 139 fonts for Adobe PostScript 3


B/W Facsimile (optional MX-FX15 required)

Compression method Communication protocol	MH/MR/MMR/JBIG Super G3/G3
Transmission time	Less than 3 seconds*11
Modem speed	33,600 bps to 2,400 bps with automatic fallback
Transmission	From Standard (203.2 x 97.8 dpi) to
resolution	Ultra Fine (406.4 x 391 dpi)
Recording size	A3 to A5
Memory	1GB (built-in)
Greyscale levels	Equivalent to 256 levels

Design and specifications are subject to change without prior notice.

- · Colour variations to products may occur due to printing.

- Colour variations to products may occur due to printing.
 Some features require Optional items. Please consult with an authorised Sharp Reseller for details.
 The ENERGY STAR log is a certification mark and may only be used to certify products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the US Environmental Protection Agency. The ENERGY STAR guidelines apply to products only in the US, the EU, Japan, Canada, Australia, New Zealand, and Taiwan.
 Microsoft, Windows, Windows Server, Windows Vista, PowerPoint, Excel, Active Directory, SharePoint, and OneDrive are either registered trademarks of Microsoft Corporation in the US and/or other countries. Mac OS and AirPrint are trademarks of Apple Inc., registered in the US and or other countries. PCL is a registered trademark of Howlett-Packard Company. Android, Google Cloud Print, and Google Drive are trademarks for trademark of Adobe System Incorporated in the US and/or other countries. PCL is a registered trademark of Howlett-Packard Company. Android, Google Cloud Print, and Google Drive are trademarks of Mopria Si a trademarks of CSR Imaging US, LP. DirectOffice is a trademark of CSR Imaging US, LP. DirectOffice is a trademark of CSR Imaging US, LP. DirectOffice is a trademark or CSR Imaging US, LP. DirectOffice is a trademark or CSR Imaging US, LP. DirectOffice is a trademark or registered in the US and other countries. of their respective owners



* 1,649 mm when finisher tray and exit tray are extended

Distributed by:

SHARP CORPORATION OF AUSTRALIA PTY LTD

ABN 40 003 039 405 P.O. Box 84, Macquarie Park, NSW 2113 Tel: (02) 9830 4600 www.sharp.net.au

SHARP CORPORATION OF NEW ZEALAND LTD

59 Hugo Johnston Drive P.O. Box 12244, Penrose, Auckland Tel: (09) 573 0111 www.sharp.net.nz